

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	377	((707/610).CQLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2011/04/08 20:58
L2	180	((707/690).CQLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2011/04/08 20:58
L3	43	((707/697).CQLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2011/04/08 20:58
L4	36	(checksum with unequal)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/08 21:00
L6	36	L4 and L4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/08 21:00
L7	10	L4 and (identifier)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/08 21:00
L8	10	L4 and L7	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/08 21:00
L9	5960	(synchroniz\$4 near3 data) same (servers)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/08 21:00
L10	7	L9 and (transmit\$4 same identifier same checksum)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/08 21:00
L11	0	L4 and L10	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/08 21:00

L12	1911	(synchroniz\$4 near3 data near3 sources)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/08 21:00
L13	56	L12 and (identifier\$1 and check\$1sum)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/08 21:00
L14	0	L4 and L13	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/08 21:00
L15	0	L4 and "L105"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/08 21:00
L16	1738447	"59"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/08 21:00
L17	1631	(synchron\$6 near3 (data adj3 set\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/08 21:01
L18	55	L17 and (identifier\$1 and checksum)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/08 21:01
L19	0	L4 and L18	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/08 21:01
L20	316803	(modif\$4 or alter\$4 or tweak\$4 or chang\$4 or edit\$4) near3 (property or attribute or (metadata or meta \$1data or (meta near3 data)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/08 21:01
L21	33064	L20 and (synchronization or synchron\$8)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/08 21:01

L22	1513	L21 and checksum	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/08 21:01
L23	300	L22 and ((compar\$4 or equat\$4 or evaluat\$4 or analyz\$4) with checksum)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/08 21:01
L24	0	L4 and L23	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/08 21:01
L25	111	L22 and (((compar\$4 or equat\$4 or evaluat\$4 or analyz\$4) with checksum) and ((transmit\$4 or communicat\$4 or send \$4 or transfer\$4 or mail \$4 or deliver\$4) with checksum))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/08 21:01
L26	0	L4 and L25	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/08 21:01
L27	16	L22 and (((compar\$4 or equat\$4 or evaluat \$4 or analyz\$4) with checksum) same ((transmit\$4 or communicat\$4 or send \$4 or transfer\$4 or mail \$4 or deliver\$4) with checksum))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/08 21:01
L28	0	L4 and L27	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/08 21:01
L29	1210	synchron\$6 same checksum	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/08 21:01

L30	166	L29 and (checksum\$1sum) and ((compare\$4 or equal\$4 or evaluate\$4 or analyze\$4) with checksum) and ((transmit\$4 or communicate\$4 or send\$4 or transfer\$4 or mail\$4 or deliver\$4) with checksum)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/08 21:01
L31	3	L4 and L30	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/08 21:01
S1	64	transmit\$6 with identifier with checksum	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/12 18:48
S2	8	S1 and ((first near3 checksum) and (second near3 checksum))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/12 16:32
S3	0	S2 and (checksum near3 "not" near3 equal)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/12 16:33
S4	1	S2 and (checksum near3 equal)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/12 16:31
S5	459	((first near3 checksum) and (second near3 checksum))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/12 16:32
S6	0	S5 and (checksum near3 "not" near3 equal)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/12 16:33
S7	0	(checksum near3 "not" near3 equal)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/12 16:33

S8	0	(checksum with "not" with equal)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/12 17:39
S9	1	darno.xa.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/12 20:04
S13	795	(checksum with equal)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/12 17:41
S14	22	(checksum with unequal)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/12 17:41
S15	6	S14 and (identifier)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/12 18:26
S16	0	S15 and (synchronizing)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/12 17:42
S17	0	S15 and (synchronize)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/12 17:42
S18	3	((first near3 identifier) same (second near3 identifier)) and (synchroniz\$4 with (data near3 source\$1)) and checksum	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/12 18:27
S19	2718	(synchroniz\$4 near3 data) same (servers)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/12 18:29
S20	0	S19 and (transmit\$4 with identifier with checksum)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/12 18:30

S21	1	S19 and (transmit\$4 same identifier same checksum)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/12 18:35
S22	1176	(synchroniz\$4 near3 data near3 sources)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/12 18:43
S23	27	S22 and (identifier\$1 and checksum)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/12 18:36
S24	28	S22 and (identifier\$1 and check\$1sum)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/12 18:45
S25	0	(synchroniz\$4 near3 data near3 sources) same identifier same checksum	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/12 18:43
S26	42	synchroniz\$4 near3 first near3 second near3 servers	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/12 18:45
S27	2	S1 and (synchron\$6 near3 data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/12 18:53
S28	574	(synchron\$6 adj3 data adj3 set\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/12 18:53
S29	1031	(synchron\$6 near3 (data adj3 set\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/12 18:54
S30	29	S29 and (identifier\$1 and checksum)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/12 18:54

S31	29	S30 not S24	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/12 19:20
S32	4	(synchroniz\$5 near3 (data adj3 set)) same (checksum)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/12 19:27
S33	96	(synchroniz\$5 adj3 data) same (checksum)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/13 20:55
S34	2	"20050030949".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/12 20:07
S36	1	"20050030949".pn. and (hash or checksum)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/12 20:08
S37	1	"20050030949".pn. and (hash or checksum) and synchron\$9	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/13 15:55
S38	2	"20050004978".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/13 15:55
S39	2	"20050004978".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/13 20:47
S40	3478	(synchroniz\$5 adj3 servers)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/13 20:55
S41	159	(synchroniz\$5 with (first near3 server) with (second near3 server))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/13 20:55

S42	117	(synchroniz\$5 with (first adj3 server) with (second adj3 server))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/13 20:57
S43	10	S42 and (checksum)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/13 20:56
S44	10	S42 and (check\$1sum)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/13 20:56
S45	390	(synchroniz\$5 near3 data) and ((first adj3 server) with (second adj3 server))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/13 20:58
S46	31	(synchroniz\$5 near3 data) same ((first adj3 server) with (second adj3 server))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/13 20:59
S47	0	((synchroniz\$5 near3 data) same ((first adj3 server) with (second adj3 server))) and checksum	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/13 20:59
S48	0	S46 and check\$1sum	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/13 20:59
S49	4	S46 and (hash or (message near3 digest))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/13 21:02
S51	35	checksum same synchroniz\$4 same servers	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/14 15:05
S52	0	"20040083245".pn. and (identifier or id)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/13 21:06

S53	1	"5974563".pn. and fast \$1dat	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/14 23:02
S54	0	"5974563".pn. and (fast \$1dat same transmit)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/14 23:02
S55	1	"5974563".pn. and (fast \$1dat and (transmit\$5 or sen\$5))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/14 22:51
S56	1	"5974563".pn. and (name or (file near3 name))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/15 13:23
S57	1	"20060101085".pn. and (sync near3 bits)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/15 13:25
S58	7538	flag with indicat\$4 with (sync or synchroniz\$5 or sync\$5 or writ\$4 or (writ\$4 near3 status))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/15 13:29
S59	1535	flag adj3 indicat\$4 adj3 (sync or synchroniz\$5 or sync\$5 or writ\$4 or (writ\$4 near3 status))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/15 13:29
S60	1535	flag adj3 indicat\$4 adj3 (synchroniz\$5 or sync \$5 or writ\$4 or (writ\$4 near3 status))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/15 13:30
S61	1535	flag adj3 indicat\$4 adj3 (synchroniz\$5 or sync \$5 or writ\$4 or (writ\$4) near3 status)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/15 13:31
S62	55	flag adj3 indicat\$4 adj3 ((synchroniz\$5 or sync \$5 or writ\$4 or (writ \$4)) near3 status)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/15 14:59

S63	2	"5974563".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/15 14:59
S64	2	"5974563".pn. and ((source near3 server) and (target near3 server))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/15 19:52
S65	1	"5974563".pn. and (format\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/15 20:32
S66	1	darno.xa.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/15 19:55
S67	1	"5974563".pn. and (checksum same calculat\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/15 21:02
S68	0	"5974563".pn. and (replace with checksum)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/15 21:02
S69	0	"5974563".pn. and (replace same checksum)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/15 21:02
S70	1	"5974563".pn. and (overwrite same checksum)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/15 21:06
S71	0	(source adj3 (data adj3 set)) with ((format\$3) near3 different\$4) with (target adj3 (data adj3 set))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/15 21:15
S72	1	(source near5 (data adj3 set)) with ((format \$3) near3 different\$4) with (target near5 (data adj3 set))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/15 21:16

S73	0	(source adj3 (data adj3 set)) same ((format\$3) near3 different\$4) same (target adj3 (data adj3 set))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/15 21:17
S74	2	(source adj3 (data adj3 set)) with format\$4 with (target adj3 (data adj3 set))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/15 21:18
S75	130	((first adj3 (data adj3 set)) with format\$4 with (second adj3 (data adj3 set)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/15 21:18
S76	12	((first adj3 (data adj3 set)) with (format\$4 near3 different\$4) with (second adj3 (data adj3 set)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/15 23:24
S77	1186	(707/201).CQLS.	USPAT; USOCR	OR	OFF	2007/03/15 23:24
S78	2147	(707/101).CQLS.	USPAT; USOCR	OR	OFF	2007/03/15 23:24
S79	107	transmit\$6 with identifier with checksum	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/08 19:04
S80	10	S79 and ((first near3 checksum) and (second near3 checksum))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/08 19:04
S81	0	S80 and (checksum near3 "not" near3 equal)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/08 19:04
S82	1	S80 and (checksum near3 equal)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/08 19:04
S83	825	((first near3 checksum) and (second near3 checksum))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/08 19:04

S84	0	S83 and (checksum near3 "not" near3 equal)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/08 19:04
S85	0	(checksum near3 "not" near3 equal)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/08 19:04
S86	0	(checksum with "not" with equal)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/08 19:04
S87	44	darno.xa.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/08 19:04
S88	1183	(checksum with equal)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/08 19:04
S89	36	(checksum with unequal)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/08 19:04
S90	10	S89 and (identifier)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/08 19:04
S91	0	S90 and (synchronizing)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/08 19:04
S92	0	S90 and (synchronize)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/08 19:04
S93	3	((first near3 identifier same (second near3 identifier)) and (synchroniz\$4 with (data near3 source\$1)) and checksum	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/08 19:04

S94	5960	(synchroniz\$4 near3 data) same (servers)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/08 19:04
S95	1	S94 and (transmit\$4 with identifier with checksum)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/08 19:04
S96	7	S94 and (transmit\$4 same identifier same checksum)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/08 19:04
S97	1911	(synchroniz\$4 near3 data near3 sources)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/08 19:04
S98	56	S97 and (identifier\$1 and checksum)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/08 19:04
S99	56	S97 and (identifier\$1 and check\$1sum)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/08 19:04
S100	0	(synchroniz\$4 near3 data near3 sources) same identifier same checksum	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/08 19:04
S101	89	synchroniz\$4 near3 first near3 second near3 servers	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/08 19:04
S102	5	S79 and (synchron\$6 near3 data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/08 19:04
S103	933	(synchron\$6 adj3 data adj3 set\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/08 19:04

S104	1631	(synchron\$6 near3 (data adj3 set\$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/08 19:04
S105	55	S104 and (identifier\$1 and checksum)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/08 19:04
S106	53	S105 not S99	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/08 19:04
S107	4	(synchroniz\$5 near3 (data adj3 set)) same (checksum)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/08 19:04
S108	166	(synchroniz\$5 adj3 data) same (checksum)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/08 19:04
S109	2	"20050030949".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/08 19:04
S110	1	"20050030949".pn. and (hash or checksum)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/08 19:04
S111	1	"20050030949".pn. and (hash or checksum) and synchron\$9	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/08 19:04
S112	2	"20050004978".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/08 19:04
S113	2	"20050004978".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/08 19:04

S114	7637	(synchroniz\$5 adj3 servers)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/08 19:04
S115	399	(synchroniz\$5 with (first near3 server) with (second near3 server))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/08 19:04
S116	283	(synchroniz\$5 with (first adj3 server) with (second adj3 server))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/08 19:04
S117	28	S116 and (checksum)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/08 19:04
S118	28	S116 and (check \$1sum)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/08 19:04
S119	811	(synchroniz\$5 near3 data) and ((first adj3 server) with (second adj3 server))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/08 19:04
S120	90	(synchroniz\$5 near3 data) same ((first adj3 server) with (second adj3 server))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/08 19:04
S121	1	((synchroniz\$5 near3 data) same ((first adj3 server) with (second adj3 server))) and checksum	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/08 19:04
S122	1	S120 and check\$1sum	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/08 19:04
S123	8	S120 and (hash or (message near3 digest))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/08 19:04

S124	64	checksum same synchroniz\$4 same servers	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/08 19:04
S125	0	"20040083245".pn. and (identifier or id)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/08 19:04
S126	1	"5974563".pn. and fast \$1dat	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/08 19:04
S127	0	"5974563".pn. and (fast \$1dat same transmit)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/08 19:04
S128	1	"5974563".pn. and (fast \$1dat and (transmit\$5 or sen\$5))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/08 19:04
S129	1	"5974563".pn. and (name or (file near3 name))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/08 19:04
S130	1	"20060101085".pn. and (sync near3 bits)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/08 19:04
S131	11653	flag with indicat\$4 with (sync or synchroniz\$5 or sync\$5 or writ\$4 or (writ\$4 near3 status))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/08 19:04
S132	2565	flag adj3 indicat\$4 adj3 (sync or synchroniz\$5 or sync\$5 or writ\$4 or (writ\$4 near3 status))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/08 19:04
S133	2565	flag adj3 indicat\$4 adj3 (synchroniz\$5 or sync \$5 or writ\$4 or (writ\$4 near3 status))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/08 19:04

S134	2565	flag adj3 indicat\$4 adj3 (synchroniz\$5 or sync \$5 or writ\$4 or (writ\$4) near3 status)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/08 19:04
S135	70	flag adj3 indicat\$4 adj3 ((synchroniz\$5 or sync \$5 or writ\$4 or (writ \$4)) near3 status)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/08 19:04
S136	2	"5974563".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/08 19:04
S137	2	"5974563".pn. and ((source near3 server) and (target near3 server))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/08 19:04
S138	1	"5974563".pn. and (format\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/08 19:04
S139	44	darno.xa.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/08 19:04
S140	1	"5974563".pn. and (checksum same calculat\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/08 19:04
S141	0	"5974563".pn. and (replace with checksum)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/08 19:04
S142	0	"5974563".pn. and (replace same checksum)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/08 19:04
S143	1	"5974563".pn. and (overwrite same checksum)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/08 19:04

S144	1	((source adj3 (data adj3 set)) with ((format\$3 near3 different\$4) with (target adj3 (data adj3 set)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/08 19:04
S145	2	((source near5 (data adj3 set)) with ((format\$3 near3 different\$4) with (target near5 (data adj3 set)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/08 19:04
S146	1	((source adj3 (data adj3 set)) same ((format\$3 near3 different\$4) same (target adj3 (data adj3 set)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/08 19:04
S147	4	((source adj3 (data adj3 set)) with format\$4 with (target adj3 (data adj3 set)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/08 19:04
S148	237	((first adj3 (data adj3 set)) with format\$4 with (second adj3 (data adj3 set)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/08 19:04
S149	30	((first adj3 (data adj3 set)) with (format\$4 near3 different\$4) with (second adj3 (data adj3 set)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/08 19:04
S150	0	((707/201).CCLS.	USPAT; USOCR	OR	OFF	2011/04/08 19:04
S151	0	((707/101).CCLS.	USPAT; USOCR	OR	OFF	2011/04/08 19:04
S152	316803	((modif\$4 or alter\$4 or tweak\$4 or chang\$4 or edit\$4) near3 (property or attribute or (metadata or meta \$1data or (meta near3 data))))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/08 19:16
S153	2	((((modif\$4 or alter\$4 or tweak\$4 or chang\$4 or edit\$4) near3 (property or attribute or (metadata or meta \$1data or (meta near3 data)))) with ((set\$4 or assign\$4) with (checksum) with (value or quantity or number)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/08 19:17

S154	4	((modif\$4 or alter\$4 or tweak\$4 or chang\$4 or edit\$4) near3 (property or attribute or (metadata or meta \$1data or (meta near3 data)))) same ((set\$4 or assign\$4) with (checksum) with (value or quantity or number))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/08 19:21
S155	2	S154 not S153	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/08 19:21
S156	1	S155 and ((transmit\$4 or communicat\$4 or send\$4 or transfer\$4 or mail\$4 or deliver\$4) with checksum)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/08 19:23
S157	33064	S152 and (synchronization or synchron\$8)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/08 19:25
S158	1513	S157 and checksum	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/08 19:25
S159	300	S158 and (((compar\$4 or equat\$4 or evaluat\$4 or analyz\$4) with checksum)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/08 19:26
S160	111	S158 and (((compar\$4 or equat\$4 or evaluat\$4 or analyz\$4) with checksum) and ((transmit\$4 or communicat\$4 or send\$4 or transfer\$4 or mail\$4 or deliver\$4) with checksum)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/08 19:26
S161	16	S158 and (((compar\$4 or equat\$4 or evaluat\$4 or analyz\$4) with checksum) same ((transmit\$4 or communicat\$4 or send\$4 or transfer\$4 or mail\$4 or deliver\$4) with checksum))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/08 19:27

S162	1210	synchron\$6 same checksum	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/08 19:32
S164	257	S162 and (check \$1sum) and ((compar \$4 or equat\$4 or evaluat\$4 or analyz\$4) with checksum)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/08 19:33
S165	166	S162 and (check \$1sum) and ((compar \$4 or equat\$4 or evaluat\$4 or analyz\$4) with checksum) and ((transmit\$4 or communicat\$4 or send \$4 or transfer\$4 or mail \$4 or deliver\$4) with checksum)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/08 19:33
S166	2	S165 and (format\$4 with (attribute or property or metadata))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/08 19:34
S167	2	"5999937".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2011/04/08 19:50

EAST Search History (Interference)

< This search history is empty >

4/ 8/ 2011 9:05:12 PM

C:\Documents and Settings\pdarno\My Documents\EAST\Workspaces\ App No - 10696914
 \ search 3-14-2005.wsp